VERIFY ALL DOCUMENTS FOR CURRENT REVISION AND PENDING CHANGES PRIOR TO EACH USE.
INIT_____ DATE_____

REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED
	0	ER2208	10/21/91	



EAST ELEVATION



SOUTH ELEVATION



WEST ELEVATION



NORTH ELEVATION



COLUMN PLAN LEGEND

- 3-2"x6" LAM. COL. LOC.
- (3) 3068 WALK DOOR (SUPPLIED BY OTHERS)
- (2) VENT FANS (SUPPLIED BY OTHERS)
- (8) 2'x2' SHUTTERS (SUPPLIED BY OTHERS)
- AIR CONDITIONER (SUPPLIED BY OTHERS)
- (4) TURBINE VENTILATORS (SUPPLIED BY OTHERS)



NOTE:
CORNER AND ENDWALL COLUMNS TO HAVE 15" DIA. FTGS. W/ (1) 50# BAG SACKRETE OR (4")THICK READI MIX PAD IN HOLE AND (1) 50#BAG SACKRETE WHEN SETTING COLUMNS

(9)THICK READI-MIX PAD OR
(5)50# BAGS SACKRETE PRE MIX W/WATER IN HOLE AND ALLOWED TO HARDEN.
AND (3)50# BAGS SACKRETE PRE MIX W/ WATER WHEN SETTING COLUMNS.

SIDEWALL SECTION A-A

97 M.P.H. WIND LOAD

N E S W

WVNS APPROVAL

COG. MGR.	T. Stagner	10-17-91
COG. ENGR.	L. Meltzer	8/14/91
DRFT. SUPR.	John Horton	10/21/91
Q.A. MGR.	[illegible]	8/15/91
R & S MGR.	Paul Applebee	8/28/91

CROSS REF. TO WVNS 9000-2487

WVNS SEWAGE TREATMENT PLANT BUILDING

STATE OF NEW YORK — RONALD L. BUTLER — PROFESSIONAL ENGINEER

Ronald L. Butler
7-20-89

DRAWN BY:	#876 LDF	DATE:	7-18-89
CHECKED BY:		DATE:	
REVISED BY:		DATE:	

MORTON BUILDINGS, INC.

BUTLER MECHANICAL INC.
WEST VALLEY NY

OFFICE WARSAW NY
JOB NO. 723744

SCALE:
SHEET NO. 2 of 3

518607

C B A 1 5 10 A B C