BRACKET DETAIL (1) SCALE 3/4"=1'-0"

SECTION (A) TYP. SCALE 3/4"=1'-0"

TYP. CONC. WALL CORNER DETAIL (3) NO SCALE

TYP. CONC. WALL INTERSECTION DETAIL (4) NO SCALE

TYP. CONC. WALL OPENING - DETAIL (5)

NOTE - OPENINGS LESS THAN 18"x18" NO ADDITIONAL STEEL REQUIRED. ALL CONDUITS, DUCT, BANKS, PENETRATIONS, WALLS TO HAVE ADDITIONAL REINFORCING SAME AS TYP. CONC. WALL OPENING.

NO SCALE

SECTION (C) AS SHOWN & NOTED SCALE 1/2"=1'-0"

TYP. CONSTRUCTION JOINT DETAIL (6) SCALE 3/4"=1'-0"

DETAILS OF PIPES @ CONCRETE GRADE BEAMS & @ WALLS - DETAIL (10) NO SCALE

WALL OPENING	LINTEL REINF.
3'-0" OR LESS	2-#4
3'-0" TO 6'-0"	2-#5

DETAIL (7) NO SCALE

DETAIL (2) SCALE 3/4"=1'-0"

SECTION (G) SCALE 3/4"=1'-0"

SECTION (H) SCALE 3/4"=1'-0"

SECTION (E) SCALE 1/2"=1'-0"

SECTION (F) SCALE 1/2"=1'-0"

SECTION (B) SCALE 3/4"=1'-0"

SECTION (J) SCALE 3/4"=1'-0"

DETAIL (8) SCALE 1/2"=1'-0"

DETAIL (9) SCALE 1/2"=1'-0"

HALF SIZE PRINT

APPROVED FOR USE U.S. ATOMIC ENERGY COMMISSION

REVISIONS			
0	ISSUED FOR CLIENT APPROVAL		

AS BUILT

SNAP-II FACILITY SANTA SUSANA CALIFORNIA PHASE II

U.S. ATOMIC ENERGY COMMISSION CHICAGO OPERATIONS OFFICE

ENVIRONMENTAL TEST BUILDING SECTIONS AND DETAILS

STRUCTURAL

THE RALPH M. PARSONS COMPANY LOS ANGELES

SCALE AS SHOWN

DATE JULY 1, 1960

REFERENCE DRAWING