




PARTIAL FIRST FLOOR PLAN
SCALE: 1/8" = 1'-0"



INTERMEDIATE FLOOR PLAN
SCALE: 1/8" = 1'-0"



SECTION A
SCALE: 1/8" = 1'-0"



SECTION B
SCALE: 1/8" = 1'-0"

SPECIAL REQUIREMENTS & DEMOLITION

- (1) REMOVE EXISTING 32 x 78 MANDOR, FRAME, ETC. CUT EXISTING FRAMING AND CONC. CURB AS REQUIRED FOR NEW DOOR - SEE DWG 511 SECT. B
- (2) REMOVE EXIST 18" Ø EXHAUST STACK & BASE APPROX 20' LIN. FT.
- (3) REMOVE EXISTING HANDRAIL AT INTERMEDIATE FLOOR OPENINGS, AND HANDRAIL AT FIRST FLOOR ON SOUTH & EAST END ONLY APPROX. 112 LIN. FT.
- (4) REMOVE EXISTING LADDERS - 4 PLACES POSITIONS A13 INTERCHANGABLE POSITIONS 1, 2, 3 INTERCHANGABLE
- (5) SHIM RAIL BEAMS LEVEL - WITHIN 1/16" IN 10'-0" RAILS SHALL BE WITHIN 1/4" BETWEEN RAILS MEASURED ACROSS EA. END.


NOTE:

- 1. GENERAL
 - 1.1 WORK SHALL CONFORM TO THE UNIFORM BUILDING CODE.
 - 1.2 BUILDER IS RESPONSIBLE FOR VERIFICATION OF ALL DIMENSIONS & CONDITIONS ON JOB SITE PRIOR TO START OF WORK.
 - 1.3 SALVAGEABLE ITEMS LADDERS, HANDRAIL, ETC. SHALL BE SHIPPED TO CONSERVATION YARD.
 - 1.4 WORK DRAWINGS WITH SPEC. 303-024-10
- 2. STRUCTURAL STEEL
 - 2.1 FABRICATION SHALL BE BY A LICENSED FABRICATOR
 - 2.2 STRUCTURAL STEEL TO CONFORM TO ASTM-A36.
 - 2.3 PIPE SHALL CONFORM TO ASTM-A53, GRADE B
 - 2.4 UNLESS DETAILED OTHERWISE ALL CONNECTIONS SHALL BE BOLTED PER THE AISC MANUAL; SECTION 4, TABLE I OR TABLE III UNLESS NOTED OTHERWISE.
 - 2.5 BOLTING SHALL CONFORM TO ASTM-A307 WITH A MINIMUM CONNECTION OF 4 BOLTS PER MEMBER EACH END. SHOP CONNECTIONS MAY BE BOLTED OR WELDED TO PROVIDE AN EQUIVALENT CONNECTION. CONNECTION ON R TO BE 1/4" MINIMUM THICKNESS.

- 3. MISCELLANEOUS
 - 3.1 PAINT ALL MODIFICATION TO EXISTING WITH 1 PRIME COAT & 2 FINISH COATS. MATCH EXISTING. OTHER PAINTING PER SPECIFICATION.
 - 3.2 DEGREASE GALVANIZED WALL PANELS AS REQUIRED FOR PAINTING. STEEL FRAME, WALL PANELS, EXTERIOR AND INTERIOR COLOR TO BE 2-FE COVEET GREY PER COLOR HANDBOOK MANUAL, PUBLISHED BY CONTAINER CORP. OF AMERICA.

LEGEND

- NEW CONSTRUCTION
- EXISTING CONSTRUCTION
- HIDDEN OR BURIED
- - - CENTER LINE
- N.I.C. NOT IN CONTRACT



HALF SIZE PRINT

NO.	DATE	DESCRIPTION	BY	CHK
5-6-75		ADDED NOTE 3.2		
FACILITIES ENGINEERING		Rockwell International Corporation Atomic International Division		
SANTA SUSANA FACILITY B/024				
MOCKUP REMOTE HANDLING				
ARCHITECTURAL PLAN & ELEV'S BUILD				
APPROVED BY	DESIGNED BY	RELEASE DATE	REP. NO.	
		3-15-75	PEWR 75069	
APPROVED BY	DESIGNED BY	REVISION NO.		
		303-024-A13		

MICROFILMED