

**Part I – The Schedule**

**Section E**

**Inspection and Acceptance**

This page intentionally left blank.

## Contents

<b>E.1 Clauses Incorporated by Reference – Section E.....</b>	<b>E-1</b>
<b>E.2 DOE-E-2001 Inspection and Acceptance (Oct 2014) .....</b>	<b>E-2</b>

## Table

Table E-1. Clauses Incorporated by Reference .....	E-1
--	-----

This page intentionally left blank.

## E.1 Clauses Incorporated by Reference – Section E

Clauses at the beginning of this Section are incorporated by reference, with the same force and effect as if they were given in full text. Clauses incorporated by reference which require a fill-in by the Government include the text of the affected paragraph(s) only. This does not limit the clause to the affected paragraph(s). The Contractor is responsible for understanding and complying with the entire clause. The full text of the clause is available at the address contained in the Section I clause in Federal Acquisition Regulation (FAR) 52.252-2 *Clauses Incorporated by Reference*, of this Contract.

**Table E-1. Clauses Incorporated by Reference**

Clause Number	FAR Reference	Title	Fill-In Information; See FAR 52.104(d)
E.1.1	FAR 52.246-2	Inspection of Supplies – Fixed-Price (Aug 1996) (Applies to FFP Task Orders only)	
E.1.2	FAR 52.246-3	Inspection of Supplies – Cost-Reimbursement (May 2001) (Applies to CR Task Orders only)	
E.1.3	FAR 52.246-4	Inspection of Services – Fixed-Price (Aug 1996) (Applies to FFP Task Orders only)	
E.1.4	FAR 52.246-5	Inspection of Services – Cost-Reimbursement (Apr 1984) (Applies to CR Task Orders only)	
E.1.5	FAR 52.246-11	Higher-Level Contract Quality Requirement (Dec 2014)	See Fill-In below table for paragraph (a)
E.1.6	FAR 52.246-12	Inspection of Construction (Aug 1996) (Applies to FFP construction work only)	
E.1.7	FAR 52.246-13	Inspection – Dismantling, Demolition, or Removal of Improvements (Aug 1996)	
E.1.8	FAR 52.246-16	Responsibility for Supplies (Apr 1984)	
<b>Acronyms:</b> CR Cost Reimbursement FAR Federal Acquisition Regulation FFP Firm-Fixed-Price			

### Fill-In:

- (a) The Contractor shall comply with the higher-level quality standard(s) listed below.

Quality Assurance Program (QAP) compliant with U.S. Department of Energy (DOE) Order 414.1D, Change 1, *Quality Assurance*, for all facilities and activities. Additionally, nonreactor nuclear facilities (as defined in 10 Code of Federal Regulations (CFR) 830, *Nuclear Safety Management*, Section 830.3, *Definitions*) must be compliant with 10 CFR 830, *Nuclear Safety Management*, Subpart A, *Quality Assurance Requirements*. The Contractor shall utilize the Contractor Assurance System per DOE Order 226.1, *Implementation of Department of Energy Oversight Policy*, to monitor and evaluate all work performed under this Contract, including the work of subcontractors, to ensure work performance meets the applicable requirements for environment, safety, and health, including quality assurance and integrated safety management; safeguards and security; cyber security; and emergency management.

The QAP must describe how the quality assurance criteria from DOE Order 414.1, 10 CFR 830, Subpart A, are satisfied. The Contractor shall use voluntary consensus standards in the development and implementation of the QAP, where practicable and consistent with contractual and regulatory requirements. Where appropriate, the Contractor must use a graded approach to implement the QAP that is commensurate with hazards, lifecycle of facilities, and other risks. The basis of the graded approach utilized shall be documented, and submitted to DOE for approval.

(1) For Hazard Category 1, 2, and 3 nuclear facilities:

- (i) Existing facilities, or new facilities and major modifications to existing facilities achieving Critical Decision (CD)-1 *Approval Alternative Selection and Cost Range* prior to May 8, 2013 may continue to use the consensus standard cited in the DOE-approved QAP.
- (ii) New facilities and major modifications to existing facilities achieving CD-1 use American Society of Mechanical Engineers (ASME) Nuclear Quality Assurance (NQA)-1-2008, *Quality Assurance Requirements for Nuclear Facility Applications*, with the NQA-1a-2009, *Quality Assurance Requirements for Nuclear Facility Applications Addenda 1a* (or a later edition), *Quality Assurance Requirements for Nuclear Facility Applications*, Part I and applicable requirements of Part II.

Note: where NQA-1, Part II language uses the terms “nuclear power plant” or “nuclear reactor”, these terms are considered equivalent to the term “nuclear facility.”

- (iii) Consensus standard(s) that provide an adequate level of quality assurance and meet the intent of paragraph (ii) above may be used. The QAP must document how the selected consensus standard is (or a set of consensus standards are) used, as well as how the selected consensus standard(s) is appropriate.

(2) For other activities and facilities (e.g., less than Hazard Category 3, non-nuclear, or chemically hazardous), the Contractor shall use, in whole or in part, appropriate standards. Examples of appropriate standards include:

- (i) ASME NQA-1a 2009 addenda (or later edition), *Quality Assurance Requirements for Nuclear Facility Applications*, Part I and applicable requirements of Part II;
- (ii) ASME NQA 1-2000, *Quality Assurance Requirements for Nuclear Facility Applications*, Part I and applicable requirements of Part II;
- (iii) American National Standards Institute (ANSI)/International Organization for Standardization (ISO)/American Society for Quality (ASQ) Q9001-2008 (or later edition), *Quality Management Systems - Requirements*; and
- (iv) ANSI/ASQ Z1.13-1999 (or later edition), *Quality Guidelines for Research*.

## **E.2 DOE-E-2001 Inspection and Acceptance (Oct 2014)**

Inspection and acceptance of all items under this Contract shall be accomplished by the Contracting Officer in accordance with the clauses listed in this Section. If the Contracting Officer assigns this responsibility to the Contracting Officer’s Representative or another representative of the Government, the Contracting Officer shall notify the Contractor in writing.